NSN 4330-01-334-2122

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-334-2122

Mounting Type:

Inlet connection head side and outlet connection head side

Body Outside Diameter:

4.500 inches

Body Height:

8.500 inches

Filtration Rating In Microns:

6.0 absolute

Drop Pressure:

2.0 pounds per square inch

Differential Pressure:

25.0 pounds per square inch

Design Type:

Reusable

Tempurature Rating:

Between -45.0 degrees fahrenheit and 225.0 degrees fahrenheit

Features Provided:

Differential pressure indicator and by-pass valve

Filtering Element Quantity:

1

Maximum Operating Pressure:

250.0 pounds per square inch

Filtering Media Design:

Pleated single filtering media response

First Intake Connection Type:

Threaded internal pipe head side

First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

First Intake Thread Series Designator:

Npt

First Intake Thread Size:

0.750 inches

First Intake Thread Direction:

Right-hand

Filtering System For Which Designed:

Full flow

Special Features:

Elec switch w/3 6.0 in leads, 1/2in male conduit, auto reset

Material:

Rubber buna n seal

Media For Which Designed:

Fuel/oil, hydrocarbon

NSN 4330-01-334-2122

Fluid Filter - Page 2 of 2



Otal-	D!	
Style	Desigr	nator:

Unthreaded shell

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A24000