# NSN 4330-01-335-0420

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-335-0420

## Mounting Type:

Unthreaded hole head

## Mounting Hole Diameter:

0.440 inches

## Mounting Hole Quantity:

4

## Body Outside Diameter:

7.000 inches

**Body Height:** 

22.900 inches

### Filtration Rating In Microns:

7.0

### **Distance Between Mounting Hole Centers:**

6.250 inches

**Design Type:** 

Reusable

**Features Provided:** 

Differential pressure indicator

### Filtering Element Quantity:

1

### Maximum Operating Pressure:

400.0 pounds per square inch

## Filtering Media Design:

Pleated single filtering media response

### First Intake Connection Type:

Threaded internal tube head side

### Second Intake Connection Relationship To First Intake Connection:

Identical

## First Discharge Connection Relationship To Intake Connection:

Not identical

First Discharge Connection Type:

Internal solder bottom

### First Discharge Inside Diameter:

2.250 inches

## First Intake Thread Series Designator:

Un

First Intake Thread Size:

1.875 inches

First Intake Thready Qty Per Inch (tpi):

12

First Intake Thread Class:

3b

# NSN 4330-01-335-0420

Fluid Filter - Page 2 of 2



First Intake Thread Direction:

Right-hand

Filtering System For Which Designed:

Full flow

# Special Features:

Tank mounted

Material:

Steel container/cartridge

## Media For Which Designed:

Fuel/oil, hydrocarbon

#### Style Designator:

High pressure threaded body

Shelf Life:

N/a

#### Unit Of Measure:

---

## Demilitarization:

No

## Fiig:

A24000