NSN 4330-01-339-7970

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-339-7970

Mounting Type:
Unthreaded hole head
Mounting Hole Diameter:
0.562 inches
Mounting Hole Quantity:
4
Body Outside Diameter:
6.250 inches
Body Height:
25.000 inches
Filtration Rating In Microns:
10.0
Differential Pressure:
25.0 pounds per square inch
Distance Between Mounting Hole Centers:
4.500 inches and 5.000 inches
Design Type:
Nonreusable
Tempurature Rating:
300.0 degrees fahrenheit
Features Provided:
Drain plug and by-pass valve and air bleed valve
Filtering Element Quantity:
2
Maximum Operating Pressure:
3000.0 pounds per square inch
Filtering Media Design:
Pleated all filtering media responses
First Intake Connection Type:
Threaded internal pipe head side
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
Distance From Bottom Of Body To Center Of Inlet:
1.250 inches
First Intake Thread Series Designator:
Un
First Intake Thread Size:
1.875 inches
First Intake Thready Qty Per Inch (tpi):
12
First Intake Thread Class:

2b

NSN 4330-01-339-7970 Fluid Filter - Page 2 of 2



First Intake Thread Direction:
Right-hand
Filtering System For Which Designed:
By-pass flow or full flow
Special Features:
Dirt alarm and cap
Material:
Steel container/cartridge
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
High pressure threaded body
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A24000