NSN 4330-01-344-2545

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-344-2545
Mounting Type:
Inlet connection line and outlet connection line
Body Length:
33.82 millimeters
Body Outside Diameter:
25.4 millimeters
Filtration Rating In Microns:
25.0 absolute and 10.0
Drop Pressure:
455.1 kilopascals
Differential Pressure:
0.031 kilopascals
Design Type:
Reusable
Tempurature Rating:
Between -34.4 degrees celsius and 135.0 degrees celsius
Filtering Element Quantity:
1
Maximum Operating Pressure:
0.020 kilopascals
Filtering Media Design:
Sintered single filtering media response
First Intake Connection Type:
Threaded internal tube line
First Discharge Connection Relationship To Intake Connection:
Not identical
First Discharge Connection Type:
Threaded external tube line
First Intake Thread Series Designator:
Unjf
First Discharge Thread Series Designator:
Unjf
First Intake Thread Size:
0.750 inches
First Discharge Thread Size:
0.750 inches
First Intake Thread Class:
3b
First Discharge Thread Class:
3a
First Intake Thread Direction:

Right-hand

NSN 4330-01-344-2545 Fluid Filter - Page 2 of 2



First Discharge Thread Direction:
Right-hand
Filtering System For Which Designed:
Full flow
Special Features:
25.4mm hex head wrenching facility
Material:
Stainless steel filtering medium
Material Specification:
Qq-s-763, type 304 federal specification single material response body
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
Inline disposal w/threaded connections
Shelf Life:
N/a
Unit Of Measure:
.
Demilitarization:
No
Fiig:
A24000