

View Online at <https://aerobasegroup.com/nsn/4330-01-346-9879>

**Mounting Type:**

Inlet connection head side and outlet connection head side

**Mounting Hole Quantity:**

4

**Body Outside Diameter:**

6.500 inches

**Body Height:**

24.520 inches

**Filtration Rating In Microns:**

10.0 absolute

**Differential Pressure:**

50.0 pounds per square inch

**Distance Between Mounting Hole Centers:**

1.437 inches and 3.125 inches

**Mounting Facility Thread Direction:**

Right-hand

**Design Type:**

Reusable

**Temperature Rating:**

Between -40.0 degrees fahrenheit and 250.0 degrees fahrenheit

**Features Provided:**

Air bleed valve and by-pass valve and drain plug and differential pressure indicator

**Filtering Element Quantity:**

1

**Mounting Facility Thread Series Designator:**

Unc

**Maximum Operating Pressure:**

5000.0 pounds per square inch

**Filtering Media Design:**

Molded single filtering media response

**First Intake Connection Type:**

Plain face flange head side

**Mounting Facility Thread Size:**

0.625 inches

**First Discharge Connection Relationship To Intake Connection:**

Identical to first intake connection

**First Intake Flange Shape Style:**

Rectangular w/threaded bolt holes

**First Intake Flange Face Style:**

Plain

**First Intake Flange Length:**

2.620 inches

**First Intake Flange Width:**

4.000 inches

**Filtering System For Which Designed:**

Full flow

**Special Features:**

Bottom base mounted bowl-up design; hex wrenching facility on lid; double element length size; visual indicator on left side

**Material:**

Stainless steel sediment bowl

**Material Specification:**

Astm a-536, 80-55-06 assn standard single material response body

**Media For Which Designed:**

Fuel/oil, hydrocarbon

**Style Designator:**

High pressure threaded body

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A24000