

View Online at <https://aerobasegroup.com/nsn/4330-01-347-8604>

Mounting Type:

Inlet connection head side and outlet connection head side

Body Length:

9.000 inches

Body Width:

7.700 inches

Body Height:

16.100 inches

Filtration Rating In Microns:

40.0 absolute

Differential Pressure:

35.0 pounds per square inch

End Application:

1925-01-247-7110

Design Type:

Reusable

Tempurature Rating:

Between -40.0 degrees fahrenheit and 250.0 degrees fahrenheit

Features Provided:

By-pass valve and differential pressure indicator and magnet

Filtering Element Quantity:

1

Maximum Operating Pressure:

200.0 pounds per square inch

Filtering Media Design:

Woven single filtering media response

First Intake Connection Type:

Plain face flange head side

First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

First Intake Flange Shape Style:

Rectangular w/threaded bolt holes

First Intake Flange Face Style:

Plain

First Intake Thread Size:

0.750 inches

First Intake Flange Thickness:

0.500 inches

First Intake Flange Length:

3.062 inches

First Intake Flange Width:

1.688 inches

First Intake Thready Qty Per Inch (tpi):

14

First Intake Thread Direction:

Right-hand

Filtering System For Which Designed:

Full flow

Special Features:

In-line design; ports sae 2.0in flange face w/ 1-1/2 nptf option flange attachments; visual indicator; standard-duty electrical switch

Material:

Steel container/cartridge

Media For Which Designed:

Fuel/oil, hydrocarbon

Style Designator:

High pressure bolted shell

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A24000