

View Online at <https://aerobasegroup.com/nsn/4330-01-352-6097>

**Mounting Type:**

Unthreaded hole head side

**Mounting Hole Diameter:**

0.270 inches

**Mounting Hole Quantity:**

2

**Body Outside Diameter:**

4.090 inches

**Body Height:**

6.510 inches

**Filtration Rating In Microns:**

25.0 absolute

**Differential Pressure:**

7500.0 pounds per square inch

**Distance Between Mounting Hole Centers:**

3.120 inches

**Design Type:**

Reusable

**Temperature Rating:**

Between -45.0 degrees fahrenheit and 225.0 degrees fahrenheit

**Features Provided:**

By-pass valve and differential pressure indicator

**Filtering Element Quantity:**

1

**Maximum Operating Pressure:**

3000.0 pounds per square inch

**Filtering Media Design:**

Pleated single filtering media response

**First Intake Connection Type:**

Threaded internal tube head side

**First Discharge Connection Relationship To Intake Connection:**

Identical to first intake connection

**First Intake Thread Series Designator:**

Unj

**First Intake Thread Size:**

1.0625 inches

**First Intake Thread Qty Per Inch (tpi):**

12

**First Intake Thread Class:**

3b

**First Intake Thread Direction:**

Right-hand

**Filtering System For Which Designed:**

Full flow

**Material:**

Rubber buna n seal

**Media For Which Designed:**

Air or fuel/oil, hydrocarbon or water/alcohol mixture

**Style Designator:**

High pressure threaded body

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A24000