# NSN 4330-01-352-6097

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-352-6097

## Mounting Type:

Unthreaded hole head side

## Mounting Hole Diameter:

0.270 inches

# Mounting Hole Quantity:

2

## Body Outside Diameter:

4.090 inches

#### **Body Height:**

6.510 inches

## **Filtration Rating In Microns:**

25.0 absolute

## Differential Pressure:

7500.0 pounds per square inch

## **Distance Between Mounting Hole Centers:**

3.120 inches

#### Design Type:

Reusable

## **Tempurature Rating:**

Between -45.0 degrees fahrenheit and 225.0 degrees fahrenheit

## **Features Provided:**

By-pass valve and differential pressure indicator

# Filtering Element Quantity:

1

## Maximum Operating Pressure:

3000.0 pounds per square inch

## Filtering Media Design:

Pleated single filtering media response

## First Intake Connection Type:

Threaded internal tube head side

## First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

## First Intake Thread Series Designator:

Unj

## First Intake Thread Size:

1.0625 inches

## First Intake Thready Qty Per Inch (tpi):

12

# First Intake Thread Class:

3b

# First Intake Thread Direction:

Right-hand

# NSN 4330-01-352-6097

Fluid Filter - Page 2 of 2



Filtering System For Which Designed:

Full flow

Material:

Rubber buna n seal

Media For Which Designed:

Air or fuel/oil, hydrocarbon or water/alcohol mixture

Style Designator:

High pressure threaded body

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A24000