NSN 4330-01-356-6877

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-356-6877

Mounting Type:

Unthreaded hole head

Mounting Hole Diameter:

0.339 inches

Mounting Hole Quantity:

4

Body Outside Diameter:

4.094 inches

Body Height:

6.102 inches

Filtration Rating In Microns:

2.5 absolute

Distance Between Mounting Hole Centers:

Between 1.252 inches and 3.504 inches

End Application:

4920-01-227-0849 servocylinder test stand for f/a-18a and tf/a-18a aircraft

Mounting Facility Thread Direction:

Right-hand

Design Type:

Reusable

Tempurature Rating:

Between 14.0 degrees fahrenheit and 212.0 degrees fahrenheit

Features Provided:

Differential pressure indicator

Filtering Element Quantity:

1

Maximum Operating Pressure:

4568.0 pounds per square inch

Filtering Media Design:

Molded single filtering media response

First Intake Connection Type:

Plain face flange head

First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

First Intake Flange Shape Style:

Rectangular w/threaded bolt holes

First Intake Flange Face Style:

Plain

First Intake Flange Thickness:

2.990 inches

First Intake Flange Length:

4.094 inches

NSN 4330-01-356-6877

Fluid Filter - Page 2 of 2



First Intake Flange Width:

3.150 inches

Filtering System For Which Designed:

Full flow

Special Features:

Inlet/outlet are on a manifold type connection

Material:

Stainless steel sediment bowl

Media For Which Designed:

Fuel/oil, hydrocarbon

Style Designator:

High pressure threaded body

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A24000