

View Online at <https://aerobasegroup.com/nsn/4330-01-356-6877>

**Mounting Type:**

Unthreaded hole head

**Mounting Hole Diameter:**

0.339 inches

**Mounting Hole Quantity:**

4

**Body Outside Diameter:**

4.094 inches

**Body Height:**

6.102 inches

**Filtration Rating In Microns:**

2.5 absolute

**Distance Between Mounting Hole Centers:**

Between 1.252 inches and 3.504 inches

**End Application:**

4920-01-227-0849 servocylinder test stand for f/a-18a and tf/a-18a aircraft

**Mounting Facility Thread Direction:**

Right-hand

**Design Type:**

Reusable

**Temperature Rating:**

Between 14.0 degrees fahrenheit and 212.0 degrees fahrenheit

**Features Provided:**

Differential pressure indicator

**Filtering Element Quantity:**

1

**Maximum Operating Pressure:**

4568.0 pounds per square inch

**Filtering Media Design:**

Molded single filtering media response

**First Intake Connection Type:**

Plain face flange head

**First Discharge Connection Relationship To Intake Connection:**

Identical to first intake connection

**First Intake Flange Shape Style:**

Rectangular w/threaded bolt holes

**First Intake Flange Face Style:**

Plain

**First Intake Flange Thickness:**

2.990 inches

**First Intake Flange Length:**

4.094 inches

**First Intake Flange Width:**

3.150 inches

**Filtering System For Which Designed:**

Full flow

**Special Features:**

Inlet/outlet are on a manifold type connection

**Material:**

Stainless steel sediment bowl

**Media For Which Designed:**

Fuel/oil, hydrocarbon

**Style Designator:**

High pressure threaded body

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A24000