NSN 4330-01-357-2517

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-357-2517

Mounting Type:
Inlet connection head side and outlet connection head side
Body Outside Diameter:
4.750 inches
Body Height:
11.310 inches
Filtration Rating In Microns:
5.0
Drop Pressure:
10.0 pounds per square inch
Differential Pressure:
100.0 pounds per square inch
End Application:
4310-01-113-8271 compressor unit, reciprocating
Design Type:
Reusable
Tempurature Rating:
150.0 degrees fahrenheit
Features Provided:
Drain cock and differential pressure indicator
Filtering Element Quantity:
1
Maximum Operating Pressure:
250.0 pounds per square inch
Filtering Media Design:
Pleated single filtering media response
First Intake Connection Type:
Threaded internal pipe head side
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
First Intake Thread Series Designator:
Nptf
First Intake Thread Size:
1.000 inches
First Intake Thread Direction:
Right-hand
Filtering System For Which Designed:
Full flow
Special Features:
For primary oil removal from compressed air; 125scfm; w/o sight glass; auto drain 1/8nptf

Aluminum bodyaluminum container/cartridgeplastic polyurethane filtering medium and fiber filtering mediumrubber synthetic seal and rubber

Material:

buna n seal

NSN 4330-01-357-2517 Fluid Filter - Page 2 of 2



Media For Which Designed:
Air
Style Designator:
High pressure threaded body
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A24000