## NSN 4330-01-359-9664

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-359-9664

Mounting Type:
Threaded hole top
Mounting Hole Quantity:
4
Body Outside Diameter:
4.562 inches
Body Height:
11.718 inches
Filtration Rating In Microns:
3.0 absolute
Distance Between Mounting Hole Centers:
1.250 inches and 2.625 inches
Mounting Facility Thread Direction:
Right-hand
Design Type:
Reusable
Features Provided:
Differential pressure indicator
Filtering Element Quantity:
1
Mounting Facility Thread Series Designator:
Un
Maximum Operating Pressure:
4000.0 pounds per square inch
Filtering Media Design:
Pleated single filtering media response
First Intake Connection Type:
Plain face flange head side
Mounting Facility Thread Size:
0.500 inches
First Discharge Connection Relationship To Intake Connection:
Not identical
First Discharge Connection Type:
Plain face flange top
First Intake Flange Shape Style:
Rectangular w/threaded bolt holes
First Discharge Flange Shape Style:
Rectangular w/threaded bolt holes
First Intake Flange Face Style:
Plain
First Discharge Flange Face Style:

Plain

## **NSN 4330-01-359-9664** Fluid Filter - Page 2 of 2



First Intake Flange Length:
3.000 inches
First Discharge Flange Length:
2.312 inches
First Intake Flange Width:
2.500 inches
First Discharge Flange Width:
1.880 inches
Filtering System For Which Designed:
Full flow
Special Features:
Head of spheroidal graphite iron, bowl of cold fromed steel, back-up ring of polytetrafluoroethylene, 70.0 gpm, special 90.0deg connection
style sae-flange, visual indicator w/manual reset
Material:
Steel sediment bowl
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
High pressure threaded body
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Filig:
A24000