## NSN 4330-01-364-8792

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-364-8792

Mounting Type:					
Unthreaded hole top					
Mounting Hole Diameter:					
0.560 inches					
Mounting Hole Quantity:					
2					
Body Length:					
12.030 inches					
Body Width:					
8.500 inches					
Body Height:					
7.250 inches					
Filtration Rating In Microns:					
25.0 absolute					
Drop Pressure:					
8.0 pounds per square inch					
Differential Pressure:					
500.0 pounds per square inch					
Distance Between Mounting Hole Centers:					
4.000 inches					
Design Type:					
Limited					
Tempurature Rating:					
Between 100.0 degrees fahrenheit and 160.0 degrees fahrenheit					
Features Provided:					
Differential pressure relief valve and switch-over valve					
Filtering Element Quantity:					
2					
Maximum Operating Pressure:					
350.0 pounds per square inch					
Filtering Media Design:					
Perforated single filtering media response					
First Intake Connection Type:					
Unthreaded internal tube top					
First Discharge Connection Relationship To Intake Connection:					
Identical to first intake connection					
First Intake Inside Diameter:					
1.000 inches					
Filtering System For Which Designed:					
Full flow					
Material:					

Aluminum filtering medium and steel filtering medium

## NSN 4330-01-364-8792

Fluid Filter - Page 2 of 2



M	edia	For	Which	n Desid	med:
IV!	cuia	1 01	VVIIICI	I DESIG	HICU.

Fuel/oil, hydrocarbon

**Style Designator:** 

Twin strainer w/bolted cover

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A24000