# NSN 4330-01-364-8792

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-364-8792

### Mounting Type:

Unthreaded hole top

#### Mounting Hole Diameter:

0.560 inches

# Mounting Hole Quantity:

2

## Body Length:

12.030 inches

#### **Body Width:**

8.500 inches

**Body Height:** 

#### 7.250 inches

Filtration Rating In Microns:

#### 25.0 absolute

Drop Pressure:

# 8.0 pounds per square inch

#### **Differential Pressure:**

500.0 pounds per square inch

#### **Distance Between Mounting Hole Centers:**

4.000 inches

#### Design Type:

Limited

#### Tempurature Rating:

Between 100.0 degrees fahrenheit and 160.0 degrees fahrenheit

#### **Features Provided:**

Differential pressure relief valve and switch-over valve

#### Filtering Element Quantity:

2

#### Maximum Operating Pressure:

350.0 pounds per square inch

#### Filtering Media Design:

Perforated single filtering media response

#### First Intake Connection Type:

Unthreaded internal tube top

#### First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

# First Intake Inside Diameter:

1.000 inches

#### Filtering System For Which Designed:

Full flow

#### Material:

Aluminum filtering medium and steel filtering medium

# NSN 4330-01-364-8792

Fluid Filter - Page 2 of 2



## Media For Which Designed:

Fuel/oil, hydrocarbon

## Style Designator:

Twin strainer w/bolted cover

Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A24000