## NSN 4330-01-367-4947

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-367-4947

## Mounting Type:

Inlet connection head side and outlet connection head side

## **Body Outside Diameter:**

2.750 inches

## **Body Height:**

8.940 inches

## **Filtration Rating In Microns:**

0.10

#### Drop Pressure:

10.0 pounds per square inch

## **Differential Pressure:**

10.0 pounds per square inch

## Design Type:

Reusable

#### **Tempurature Rating:**

150.0 degrees fahrenheit

## **Features Provided:**

Differential pressure indicator and drain plug

## Filtering Element Quantity:

1

## Maximum Operating Pressure:

250.0 pounds per square inch

## Filtering Media Design:

Molded single filtering media response

## First Intake Connection Type:

Threaded internal pipe head side

## First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

## First Intake Thread Series Designator:

Nptf

## First Intake Thread Size:

0.375 inches

## First Intake Thread Direction:

Right-hand

## Filtering System For Which Designed:

Full flow

## **Special Features:**

With sight glass; manual drain; element polyurethane foam

## Material:

Zinc body or aluminum bodyfiber synthetic filtering medium and plastic polyurethane filtering mediumrubber synthetic seal and rubber buna n sealzinc sediment bowl

seaizing sediment bowi

## Media For Which Designed:

# NSN 4330-01-367-4947

Fluid Filter - Page 2 of 2

Style Designator:

High pressure threaded body

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A24000

