NSN 4330-01-373-0542

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-373-0542

Mounting Type:
Threaded hole head
Mounting Hole Quantity:
2
Body Outside Diameter:
5.200 inches
Body Height:
13.245 inches
Filtration Rating In Microns:
10.0
Drop Pressure:
11.0 pounds per square inch
Differential Pressure:
150.0 pounds per square inch
Distance Between Mounting Hole Centers:
1.890 inches
Mounting Facility Thread Direction:
Right-hand
Design Type:
Reusable
Tempurature Rating:
Between -22.0 degrees fahrenheit and 212.0 degrees fahrenheit
Features Provided:
By-pass valve
Filtering Element Quantity:
1
Mounting Facility Thread Series Designator:
Unc
Maximum Operating Pressure:
150.0 pounds per square inch
First Intake Connection Type:
Threaded internal pipe head side
Mounting Facility Thread Size:
0.3125 inches
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
First Intake Thread Series Designator:
Npt
First Intake Thread Size:
1.250 inches
First Intake Thread Direction:

Right-hand

NSN 4330-01-373-0542

Fluid Filter - Page 2 of 2



Filtering System For Which Designed:
Full flow
Special Features:
Bypass spring of 15psi
Material:
Aluminum bodyrubber buna n seal
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
Threaded shell (mason jar)
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A24000