

View Online at <https://aerobasegroup.com/nsn/4330-01-373-0542>

**Mounting Type:**

Threaded hole head

**Mounting Hole Quantity:**

2

**Body Outside Diameter:**

5.200 inches

**Body Height:**

13.245 inches

**Filtration Rating In Microns:**

10.0

**Drop Pressure:**

11.0 pounds per square inch

**Differential Pressure:**

150.0 pounds per square inch

**Distance Between Mounting Hole Centers:**

1.890 inches

**Mounting Facility Thread Direction:**

Right-hand

**Design Type:**

Reusable

**Temperature Rating:**

Between -22.0 degrees fahrenheit and 212.0 degrees fahrenheit

**Features Provided:**

By-pass valve

**Filtering Element Quantity:**

1

**Mounting Facility Thread Series Designator:**

Unc

**Maximum Operating Pressure:**

150.0 pounds per square inch

**First Intake Connection Type:**

Threaded internal pipe head side

**Mounting Facility Thread Size:**

0.3125 inches

**First Discharge Connection Relationship To Intake Connection:**

Identical to first intake connection

**First Intake Thread Series Designator:**

Npt

**First Intake Thread Size:**

1.250 inches

**First Intake Thread Direction:**

Right-hand

**Filtering System For Which Designed:**

Full flow

**Special Features:**

Bypass spring of 15psi

**Material:**

Aluminum bodyrubber buna n seal

**Media For Which Designed:**

Fuel/oil, hydrocarbon

**Style Designator:**

Threaded shell (mason jar)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A24000