

View Online at <https://aerobasegroup.com/nsn/4330-01-373-2791>

**Mounting Type:**

Threaded hole top

**Mounting Hole Quantity:**

6

**Body Outside Diameter:**

6.100 inches

**Body Height:**

15.030 inches

**Filtration Rating In Microns:**

3.00 absolute and 5.00

**Differential Pressure:**

73.0 pounds per square inch

**Distance Between Mounting Hole Centers:**

1.970 inches and 1.970 inches and 2.200 inches

**Mounting Facility Thread Direction:**

Right-hand

**Design Type:**

Reusable

**Features Provided:**

Differential pressure indicator and by-pass valve

**Filtering Element Quantity:**

1

**Mounting Facility Thread Series Designator:**

Unc

**Maximum Operating Pressure:**

3000.0 pounds per square inch

**Filtering Media Design:**

Layered single filtering media response

**First Intake Connection Type:**

Raised face flange head side

**Mounting Facility Thread Size:**

0.375 inches

**First Discharge Connection Relationship To Intake Connection:**

Identical to first intake connection

**First Intake Flange Shape Style:**

Rectangular w/threaded bolt holes

**First Intake Flange Face Style:**

Raised

**Filtering System For Which Designed:**

Full flow

**Special Features:**

Visual indicator; hex wrenching device located on bottom; ports 1-1/2in.Sae flange, 4 holes 13 unc x 0.7in.Dp; mtg holes 3/8-16unc-28 x 0.39in.Dp; head across ports 6.10in.W, head 5.67in.Dia, bowl 4.80in.Dia

**Material:**

Steel body

**Media For Which Designed:**

Fuel/oil, hydrocarbon

**Style Designator:**

High pressure threaded body

**Supplementary Features:**

Normal flow (without reverse flow feature)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A24000