NSN 4330-01-373-7881

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-373-7881

View Online at https://aerobasegroup.com/nsn/4330-01-373-7881
Mounting Type:
Threaded hole head
Mounting Hole Quantity:
4
Body Outside Diameter:
2.680 inches
Body Height:
6.620 inches
Filtration Rating In Microns:
10.0 absolute
Drop Pressure:
17.0 pounds per square inch
Differential Pressure:
2250.0 pounds per square inch
Distance Between Mounting Hole Centers:
Between 1.181 inches and 1.772 inches
Design Type:
Reusable
Tempurature Rating:
Between 15.0 degrees fahrenheit and 250.0 degrees fahrenheit
Features Provided:
By-pass valve and differential pressure indicator
Filtering Element Quantity:
1
Mounting Facility Thread Series Designator:
Unf
Maximum Operating Pressure:
1500.0 pounds per square inch
Filtering Media Design:
Pleated single filtering media response
First Intake Connection Type:
Threaded internal tube head side
Mounting Facility Thread Size:
0.190 inches
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
First Intake Thread Series Designator:
Unf
First Intake Thread Size:
0.750 inches
First Intake Thread Class:

2b

NSN 4330-01-373-7881

Fluid Filter - Page 2 of 2



First Intake Thread Direction:
Right-hand
Filtering System For Which Designed:
Full flow
Material:
Rubber buna n seal
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
High pressure threaded body
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A24000