NSN 4330-01-375-7330

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-375-7330

| Mounting Type: |
|--|
| Inlet connection line and outlet connection line |
| Body Length: |
| 2.234 inches |
| Body Width: |
| 1.000 inches |
| Body Height: |
| 1.875 inches |
| Filtration Rating In Microns: |
| 40.0 |
| End Application: |
| Torpedo, adcap 48 |
| Design Type: |
| Reusable |
| Filtering Element Quantity: |
| 1 |
| Maximum Operating Pressure: |
| 6000.0 pounds per square inch |
| Filtering Media Design: |
| Woven single filtering media response |
| First Intake Connection Type: |
| Threaded external tube line |
| First Discharge Connection Relationship To Intake Connection: |
| Identical to first intake connection |
| Distance From Bottom Of Body To Center Of Inlet: |
| 1.500 inches |
| First Intake Thread Series Designator: |
| Unf |
| First Intake Thread Size: |
| 0.438 inches |
| First Intake Thread Class: |
| 3a |
| First Intake Thread Direction: |
| Right-hand |
| Filtering System For Which Designed: |
| Full flow |
| Special Features: |
| 900.0 degrees f maximum temp; bonnet, union nut and retaining ring provided; cres seal ring is silver coated |
| Material: |
| Steel comp 316 seal |
| Media For Which Designed: |

Fuel/oil, hydrocarbon

NSN 4330-01-375-7330

Fluid Filter - Page 2 of 2



| Styl | | | |
|------|--|--|--|
| | | | |

Tee type (hydraulic)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A24000