NSN 4330-01-389-6416

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-389-6416

Mounting Type:

Unthreaded hole head

Mounting Hole Diameter:

0.530 inches

Mounting Hole Quantity:

4

Body Outside Diameter:

5.250 inches

Body Height:

24.340 inches

Filtration Rating In Microns:

3.0 absolute

Differential Pressure:

35.0 pounds per square inch

Distance Between Mounting Hole Centers:

3.875 inches

End Application:

Support equipment, b-1 aircraft

Design Type:

Reusable

Tempurature Rating:

Between -20.0 degrees fahrenheit and 275.0 degrees fahrenheit

Features Provided:

By-pass valve and differential pressure indicator

Filtering Element Quantity:

1

Maximum Operating Pressure:

250.0 pounds per square inch

Filtering Media Design:

Molded single filtering media response

First Intake Connection Type:

Plain face flange head side

First Discharge Connection Relationship To Intake Connection:

Not identical

Filtering System For Which Designed:

Full flow

Special Features:

1.500 in. Split flange inlet; two 1.000 in. Optional auxiliary ports 180.0 degrees apart 90.0 degrees from inlet; reservoir mounted; 50.0 psid bypass setting; auto reset differential indicator

Material:

Plastic seal

Media For Which Designed:

Fuel/oil, hydrocarbon or water/alcohol mixture

NSN 4330-01-389-6416

Fluid Filter - Page 2 of 2

Style Designator:

High pressure threaded body

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A24000

