# NSN 4330-01-417-2253

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-417-2253

### Mounting Type:

Inlet connection end and outlet connection end

### **Body Length:**

4.600 inches

## Body Outside Diameter:

1.375 inches

#### **Filtration Rating In Microns:**

45.0 absolute and 20.0

#### **Drop Pressure:**

-10.0 pounds per square inch

#### **Differential Pressure:**

150.0 pounds per square inch

#### End Application:

Weapon system code at, aircraft, (ac-130a, ac-130h, mc-130h, ec-130

#### **Design Type:**

Reusable

#### **Tempurature Rating:**

Between -40.0 degrees fahrenheit and 350.0 degrees fahrenheit

### **Filtering Element Quantity:**

1

# Maximum Operating Pressure:

3000.0 pounds per square inch

#### Filtering Media Design:

Sintered single filtering media response

#### First Intake Connection Type:

Threaded internal tube center

#### First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

#### First Intake Thread Series Designator:

Unf

# First Intake Thread Size:

0.750 inches

# First Intake Thread Class:

3b

#### First Intake Thread Direction:

Right-hand

#### Filtering System For Which Designed:

Full flow

#### **Special Features:**

Element nickel alloy brazed

#### Material:

Steel comp 304 filtering medium

# NSN 4330-01-417-2253

Fluid Filter - Page 2 of 2



Material Specification:

Nas 1596 national specification single material response seal

Media For Which Designed:

Fuel/oil, hydrocarbon

Style Designator:

Inline (hydraulic)

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A24000