NSN 4330-01-418-7065



Fluid Filter Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4330-01-418-7065 **Mounting Type:** Bracket w/drilled hole back **Mounting Hole Diameter:** 0.375 inches **Mounting Hole Quantity: Filtration Rating In Microns:** 10.0 **Drop Pressure:** 2.5 pounds per square inch **Distance Between Mounting Hole Centers:** Between 5.940 inches and 12.750 inches **Design Type:** Reusable **Tempurature Rating:** Between -40.0 degrees fahrenheit and 255.0 degrees fahrenheit **Unit Quantity: Features Provided:** Drain plug **Bracket Quantity: Filtering Element Quantity: Maximum Operating Pressure:** 15.0 pounds per square inch **First Intake Connection Type:** Threaded external pipe side First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection First Intake Thread Series Designator: First Intake Thread Size: 0.750 inches **First Intake Thread Direction:** Right-hand Filtering System For Which Designed: Full flow **Special Features:**

Max flow rate is 540 gph; 22in. H, 21.5in. W, 11.8in. Dp

Media For Which Designed:

Fuel/oil, hydrocarbon and gas

NSN 4330-01-418-7065

Fluid Filter Assembly - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A24000