## NSN 4330-01-429-5404

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-429-5404

Mounting Type:
Unthreaded hole bottom
Mounting Hole Diameter:
0.563 inches
Mounting Hole Quantity:
4
Body Outside Diameter:
5.250 inches
Body Height:
17.960 inches
Filtration Rating In Microns:
25.0
Distance Between Mounting Hole Centers:
Between 4.500 inches and 5.000 inches
End Application:
Navy weapon system code jk, wasp class lhd
Design Type:
Reusable
Tempurature Rating:
Between -43.0 degrees fahrenheit and 164.0 degrees fahrenheit
Features Provided:
Air bleed valve and drain plug and by-pass valve and differential pressure indicator
Filtering Element Quantity:
1
Maximum Operating Pressure:
3000.0 pounds per square inch
Filtering Media Design:
Woven single filtering media response
First Intake Connection Type:
Threaded internal tube bottom side
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
First Intake Thread Series Designator:
Un
First Intake Thread Size:
1.875 inches
First Intake Thready Qty Per Inch (tpi):
12
First Intake Thread Class:
2b
First Intake Thread Direction:

Right-hand

## NSN 4330-01-429-5404

Fluid Filter - Page 2 of 2

**Fiig:** A24000



Filtering System For Which Designed:
Full flow
Special Features:
Base mtd bowl-up type; includes mil-f-24402 size a element; 67.0lb
Material:
Steel sediment bowl
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
High pressure threaded body
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No