NSN 4330-01-429-5404

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-429-5404

Mounting Type:

Unthreaded hole bottom

Mounting Hole Diameter:

0.563 inches

Mounting Hole Quantity:

4

Body Outside Diameter:

5.250 inches

Body Height:

17.960 inches

Filtration Rating In Microns:

25.0

Distance Between Mounting Hole Centers:

Between 4.500 inches and 5.000 inches

End Application:

Navy weapon system code jk, wasp class lhd

Design Type:

Reusable

Tempurature Rating:

Between -43.0 degrees fahrenheit and 164.0 degrees fahrenheit

Features Provided:

Air bleed valve and drain plug and by-pass valve and differential pressure indicator

Filtering Element Quantity:

1

Maximum Operating Pressure:

3000.0 pounds per square inch

Filtering Media Design:

Woven single filtering media response

First Intake Connection Type:

Threaded internal tube bottom side

First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

First Intake Thread Series Designator:

Un

First Intake Thread Size:

1.875 inches

First Intake Thready Qty Per Inch (tpi):

12

First Intake Thread Class:

2b

First Intake Thread Direction:

Right-hand

NSN 4330-01-429-5404

Fluid Filter - Page 2 of 2



Filtering System For Which Designed:

Full flow

Special Features:

Base mtd bowl-up type; includes mil-f-24402 size a element; 67.0lb

Material:

Steel sediment bowl

Media For Which Designed:

Fuel/oil, hydrocarbon

Style Designator:

High pressure threaded body

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A24000