NSN 4330-01-434-7796

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-434-7796

Mounting Type:

Bracket w/drilled hole side

Mounting Hole Diameter:

0.375 inches

Mounting Hole Quantity:

2

Body Outside Diameter:

5.800 inches

Body Height:

11.500 inches

Filtration Rating In Microns:

10.0

Drop Pressure:

0.61 pounds per square inch

End Application:

Navy weapons systems 26, propulsion systems

Design Type:

Reusable

Tempurature Rating:

Between -40.0 degrees fahrenheit and 255.0 degrees fahrenheit

Bracket Quantity:

1

Filtering Element Quantity:

1

Maximum Operating Pressure:

15.0 pounds per square inch

First Intake Connection Type:

Threaded internal tube side

First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

First Intake Thread Series Designator:

Unf

First Intake Thread Size:

0.750 inches

First Intake Thread Direction:

Right-hand

Filtering System For Which Designed:

Full flow

Special Features:

Marine turbine series - diesel service only; see-thru bowl; 3/4" -16sae o-ring boss fuel ports

Media For Which Designed:

Fuel/oil, hydrocarbon

NSN 4330-01-434-7796

Fluid Filter - Page 2 of 2

Style Designator:

Unthreaded shell

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A24000

