NSN 4330-01-435-1891

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-435-1891

wounting Type:					
Unthreaded hole center					
Mounting Hole Diameter:					
0.315 inches					
Mounting Hole Quantity:					
4					
Body Outside Diameter:					
152.0 millimeters					
Body Height:					
282.0 millimeters					
Filtration Rating In Microns:					
10.0 absolute					
Differential Pressure:					
2.0 bar					
End Application:					
Navy weapon system code th, strategic sealift conversion ships class					
Design Type:					
Reusable					
Tempurature Rating:					
Between -10.0 degrees celsius and 100.0 degrees celsius					
Filtering Element Quantity:					
1					
Maximum Operating Pressure:					
25.0 bar					
Filtering Media Design:					
Pleated single filtering media response					
First Intake Connection Type:					
Threaded internal pipe top side					
First Discharge Connection Relationship To Intake Connection:					
Not identical					
First Discharge Connection Type:					
Threaded internal pipe bottom					
First Discharge Thread Series Designator:					
Iso m					
First Intake Thread Direction:					
Right-hand					
First Discharge Thread Direction:					
Right-hand					
Filtering System For Which Designed:					
Full flow					
Special Features:					
Return tank top filter, flange mounted; connections g2 per iso 228					

NSN 4330-01-435-1891

Fluid Filter - Page 2 of 2



ΝЛ	2+	er	in	١.
IVI	aı	ŒI.	a	ı .

Glass fiber filtering medium

Media For Which Designed:

Fuel/oil, hydrocarbon

Style Designator:

Ell type (hydraulic)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A24000