NSN 4330-01-435-8826

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-435-8826

Mounting Type:
Unthreaded hole head
Mounting Hole Diameter:
0.438 inches
Mounting Hole Quantity:
4
Body Length:
6.900 inches
Body Width:
7.100 inches
Body Height:
12.760 inches
Drop Pressure:
2.0 pounds per square inch
Distance Between Mounting Hole Centers:
6.250 inches
End Application:
Propulsion systems
Design Type:
Reusable
Tempurature Rating:
Between -25.0 degrees fahrenheit and 275.0 degrees fahrenheit
Features Provided:
By-pass valve
Filtering Element Quantity:
1
Maximum Operating Pressure:
200.0 pounds per square inch
First Intake Connection Type:
Threaded internal tube head side
Second Intake Connection Relationship To First Intake Connection:
Identical
First Discharge Connection Relationship To Intake Connection:
Not identical
First Discharge Connection Type:
Unthreaded external hose bottom
First Discharge Outside Diameter:
1.580 inches
First Intake Thread Series Designator:
Uns
First Intake Thread Size:

1.500 inches

NSN 4330-01-435-8826 Fluid Filter - Page 2 of 2



First Intake Thready Qty Per Inch (tpi):
24
First Intake Thread Class:
2b
First Intake Thread Direction:
Right-hand
Filtering System For Which Designed:
Full flow
Special Features:
Reservoir mounted; v-pak element w/a cleanliness level of 18/16/14 or better
Material:
Steel sediment bowl
Media For Which Designed:
Fuel/oil, hydrocarbon and water/alcohol mixture and water
Style Designator:
High pressure bolted shell
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A24000