NSN 4330-01-436-7823

Fluid Filter - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/4330-01-436-7823 |
|---|
| Mounting Type: |
| Inlet connection head side and outlet connection head side |
| Body Outside Diameter: |
| 1.750 inches |
| Body Height: |
| 4.000 inches |
| Filtration Rating In Microns: |
| 0.1 |
| Drop Pressure: |
| 2.0 pounds per square inch |
| Differential Pressure: |
| 80.0 pounds per square inch |
| End Application: |
| Navy weapons system jt, cimmaron class a0 |
| Design Type: |
| Reusable |
| Tempurature Rating: |
| Between -50.0 degrees fahrenheit and 300.0 degrees fahrenheit |
| Features Provided: |
| Drain plug |
| Filtering Element Quantity: |
| 1 |
| Maximum Operating Pressure: |
| 5000.0 pounds per square inch |
| First Intake Connection Type: |
| Threaded internal pipe head side |
| First Discharge Connection Relationship To Intake Connection: |
| Identical to first intake connection |
| First Intake Thread Series Designator: |
| Npt |
| First Intake Thread Size: |
| 0.125 inches |
| First Intake Thread Direction: |
| Right-hand |
| Filtering System For Which Designed: |
| Full flow |
| Material: |
| Steel comp 316 body |
| Media For Which Designed: |
| Gas |

Gas

Style Designator:

High pressure threaded body

NSN 4330-01-436-7823

Fluid Filter - Page 2 of 2



Replacement filter tubes comes in two options: 050-11-dq for 93% efficiency and 050-11-bq for 99.9% efficiency

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A24000