

View Online at <https://aerobasegroup.com/nsn/4330-01-442-6621>

Mounting Type:

Unthreaded hole head

Mounting Hole Diameter:

0.350 inches

Mounting Hole Quantity:

3

Body Outside Diameter:

5.250 inches

Body Height:

10.740 inches

Filtration Rating In Microns:

10.2 absolute

Distance Between Mounting Hole Centers:

5.250 inches

End Application:

Navy weapons code jp, supply class aoe

Design Type:

Reusable

Temperature Rating:

225.0 degrees fahrenheit

Features Provided:

By-pass valve and differential pressure indicator

Filtering Element Quantity:

1

Maximum Operating Pressure:

100.0 pounds per square inch

Filtering Media Design:

Pleated single filtering media response

First Intake Connection Type:

Threaded internal pipe head side

First Discharge Connection Relationship To Intake Connection:

Not identical

First Intake Thread Series Designator:

Nptf

First Intake Thread Size:

1.000 inches

First Intake Thread Direction:

Right-hand

Filtering System For Which Designed:

Full flow

Special Features:

Bypass valve setting- cracking 25psid, full flow 39psid; tri-color gauge dirt alarm type; used as in-tank return line filter in emergency backup hydraulic power unit for elevator door

Material:

Steel container/cartridge

Media For Which Designed:

Fuel/oil, hydrocarbon

Style Designator:

EII type (hydraulic)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A24000