## NSN 4330-01-444-2570

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-444-2570

Mounting Type:
Unthreaded hole head side
Mounting Hole Diameter:
0.310 inches
Mounting Hole Quantity:
4
Body Outside Diameter:
4.500 inches
Body Height:
10.550 inches
Filtration Rating In Microns:
10.0
Distance Between Mounting Hole Centers:
Between 2.500 inches and 3.810 inches
End Application:
WEAP-ON-SCO-DEFN
Design Type:
Reusable
Features Provided:
Differential pressure indicator
Filtering Element Quantity:
1
Maximum Operating Pressure:
5000.0 pounds per square inch
First Intake Connection Type:
Threaded internal tube head side
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
First Intake Thread Series Designator:
Unf
First Intake Thread Size:
1.312 inches
First Intake Thread Class:
2b
First Intake Thread Direction:
Right-hand
Filtering System For Which Designed:
Full flow
Special Features:
Has differential pressure electrical switch and mechanical indicator set at 35psid; inlet and outlet ports are for 37deg flare fittings
Material:
Aluminum body

## NSN 4330-01-444-2570

Fluid Filter - Page 2 of 2



Media	For	Which	Desig	ned:
IVICUIA	ГОІ	VVIIICII	Desid	iiieu.

Fuel/oil, hydrocarbon

**Style Designator:** 

High pressure threaded body

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A24000