

View Online at <https://aerobasegroup.com/nsn/4330-01-480-7791>

**Mounting Type:**

Inlet connection line

**Filtration Rating In Microns:**

40.0

**Drop Pressure:**

10.0 pounds per square inch

**Design Type:**

Reusable

**Temperature Rating:**

104.0 degrees fahrenheit

**Unit Quantity:**

1

**Filtering Element Quantity:**

1

**Maximum Operating Pressure:**

3000.0 pounds per square inch

**First Intake Connection Type:**

Threaded internal tube line

**First Discharge Connection Relationship To Intake Connection:**

Identical to first intake connection

**First Intake Thread Series Designator:**

Unjf

**First Intake Thread Size:**

1.0625 inches

**First Intake Thread Qty Per Inch (tpi):**

12

**First Intake Thread Class:**

3a

**First Intake Thread Direction:**

Right-hand

**Filtering System For Which Designed:**

Full flow

**Special Features:**

Filter-in-line; filter element, 304 stainless steel, pleated, microveave wire mesh, welded; o-ring buna "n"; length 7.000; diameter 2.000; style inline hydraulic

**Material:**

Aluminum alloy body

**Material Specification:**

Dod-std-100 federal standard single material response body and qq-a-225/6 federal specification single material response body

**Media For Which Designed:**

Air or fuel/oil, hydrocarbon

**Surface Treatment:**

Anodize body

**Surface Treatment Specification:**

Mil-a-8625, type ii, class 2 military specification single treatment response body

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A24000

**Mil-std (military Standard):**

Mil-a-8625 spec.