

View Online at <https://aerobasegroup.com/nsn/4330-01-502-9383>

**Body Length:**

3.750 inches

**Body Height:**

7.850 inches

**Filtration Rating In Microns:**

1.0

**Drop Pressure:**

Not rated

**Differential Pressure:**

Not rated

**End Application:**

Dehydrator, membrane

**Design Type:**

Reusable

**Filtering Element Quantity:**

1

**Maximum Operating Pressure:**

5000.0 pounds per square inch

**Filtering Media Design:**

Any acceptable single filtering media response

**Distance From Bottom Of Body To Center Of Inlet:**

6.470 inches

**Product Name:**

Filter, particulate

**Filtering System For Which Designed:**

Full flow

**Special Features:**

Rated flow @ 10 psid, clea (max) : 10 gpm w/100 ssu oil, 300 scfm @ 3,000 psi; housing material: 2024t-351; pressure ratings; 7,500 psi proof, 20,000 psi burst; housing temperature: 300 degrees fahrenheit; o-ring temperature range: viton, minus 20 degrees to plus 350 degrees fahrenheit; element temperature range: glass fiber, minus 70 degrees to plus 350 degrees fahrenheit; total assembly weight: aluminum, 4 1/4 lbs.; port size: 1/2 in. Sae; collapse rating: 3250 lbs., glass fiber; optional accessory: 1/4 in. Sae bowl drain; flow: outside to in

**Material:**

Glass fiber filtering medium

**Media For Which Designed:**

Any acceptable

**Style Designator:**

Straight flow basket strainer w/ bolted cover

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**