Fluid Filter Element - Page 1 of 1

AeroBase Group

View Online at https://aerobasegroup.com/nsn/4330-01-503-3219

#### **Body Diameter:**

4.250 inches

**Filtration Rating In Microns:** 

10.0 absolute and 5.0

## Flow Direction:

Outside in

### **Differential Pressure:**

100.0 pounds per square inch

#### **End Application:**

Reverse osmosis desalinator

#### Design Type:

Nonreusable

### **Tempurature Rating:**

125.0 degrees fahrenheit

### Bodylength:

9.750 inches

### Filtering Media Design:

Granule single filtering media response

### **Product Name:**

Filter element, fluid

## **Special Features:**

operating pressure: 250 psig; collapse pressure: 200 psid; filter will not channel or bypass, due to the extreme uniformity of extruded carbon core, can be installed without prefiltration; filters are finished with an outer polypropylene spunbonded prefiltration medium; protective polypropylene netting is applied to the exterior of the cartridge; polypropylene end caps with compression gaskets; filters are not be autoclaved or steamsterilized

Material:

Carbon filtering medium

## Media For Which Designed:

Water

### Style Designator:

Cylindrical w/out container

### Shelf Life:

N/a

Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A24000