NSN 4330-01-526-5329

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4330-01-526-5329

Mounting Type:
Threaded hole head
Mounting Hole Diameter:
0.250 inches
Mounting Hole Quantity:
4
Body Outside Diameter:
3.580 inches
Body Height:
7.200 inches
Filtration Rating In Microns:
5.0 absolute
Distance Between Mounting Hole Centers:
Between 1.260 inches and 2.205 inches
End Application:
Alofts sonar system, model 980 (v1)
Mounting Facility Thread Direction:
Right-hand
Design Type:
Reusable
Tempurature Rating:
Between -40.0 degrees fahrenheit and 250.0 degrees fahrenheit
Features Provided:
Differential pressure indicator
Filtering Element Quantity:
1
Mounting Facility Thread Series Designator:
Unf
Maximum Operating Pressure:
1500.0 pounds per square inch
First Intake Connection Type:
Threaded internal tube head side
Second Intake Connection Relationship To First Intake Connection:
Identical
Mounting Facility Thread Size:
0.250 inches
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
First Intake Thread Series Designator:
Unf
First Intake Thread Size:

1.062 inches

NSN 4330-01-526-5329 Fluid Filter - Page 2 of 2



First Intake Thready Qty Per Inch (tpi):
12
First Intake Thread Class:
2b
Product Name:
Medium pressure filter
First Intake Thread Direction:
Right-hand
Filtering System For Which Designed:
Full flow
Special Features:
Pop-up type indicator, with by-pass
Material:
Aluminum sediment bowl
Media For Which Designed:
Fuel/oil, hydrocarbon
Style Designator:
High pressure threaded body
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A24000