NSN 4510-00-273-1180

Flush Valve - Page 1 of 2

Bronze, astm b61 and bronze, astm b62

Outside Surface Treatment:

Flush value (exposed type)

Nickel-chromium alloy

Body Material:

Body Style:

Stem Material:Nickel copper alloy



View Online at https://aerobasegroup.com/nsn/4510-00-273-1180

Furnished Items:
Adapter and nut and washer and nipple and spud flange
Media For Which Designed:
Water, salt
First End Connection Type:
Threaded internal pipe
First End Style Designator:
Swivel nut, inverted flare
First End Pipe Size Accommodated:
1.250 inches
First End Thread Direction:
Right-hand
Second End Relationship With First End:
Not identical
Second End Connection Type:
Unthreaded internal tube
Second End Style Designator:
Socket
Second End Outside Diameter Tube Accommodated:
1.500 inches
Inlet Location:
Right side
Seat Material:
Bronze, astm b61 and bronze, astm b62
Usage Design:
Exposed pipe
Flow Control Device:
Disk, bottom guided
Flow Control Device Material:
Nickel copper alloy
Valve Operation Method:
Handle
End Connection Quantity:
2

NSN 4510-00-273-1180

Flush Valve - Page 2 of 2

A07100



Operating Mechanism Angle From Inlet In Deg:
180.0
Flush Type:
Pressure
Special Features:
1 in. lps inlet connection, union type; 1-1/2 in. Outlet connection
Specification Or Standard:
1 type and b class
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: