

View Online at <https://aerobasegroup.com/nsn/4520-00-054-4716>

Mounting Type:

Trailer

Heat Medium Type:

Air

Outlet Position:

In the same direction

Heat Outlet Quantity:

6

Heat Delivery Direction:

Horizontal

Heat Discharge Outlet Type:

Stationary

Heat Directing Device:

Flexible ducts

Air Circulation Device:

Squirrel cage blower

Speed Adjustments:

Single speed

Maximum Air Flow Rate:

1073.0 cubic feet per minute

Circulated Air Type:

Heated

Radio Interference Suppression Type:

Army, mil-std-461, radio suppression

Flue Connection Location:

Top center

Current Type:

Ac

Depth:

50.000 inches

Prime Mover Type:

Gasoline engine

Operating Control Type:

Hand switch

Heating Element Type:

Combustion chamber

Ignition Method:

Electrode

Fuel Consumption Rate Per Hour:

5.0 gallons

Heat Delivery Rate:

400000.0 kilogram-calorie

Integral Fuel Tank Capacity:

17.5 gallons

Fuel Feed Method:

Internal pump

Voltage In Volts:

220.0

Phase:

Three

Special Features:

Discharge air range 150 degrees to 280 degrees f, heater conforms to mil-h-4607, class 1, air force trailer type ma-1 required

Frequency In Hertz:

60.0

Fuel Type:

Gasoline

Height:

26.000 inches

Quantity:

1

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A01300