

View Online at <https://aerobasegroup.com/nsn/4520-00-067-7572>

Mounting Type:

Hand carry

Heat Medium Type:

Air

Heat Outlet Quantity:

1

Heat Delivery Direction:

Horizontal

Heat Discharge Outlet Type:

Stationary

Heat Directing Device:

Flexible ducts

Air Circulation Device:

Squirrel cage blower

Speed Adjustments:

Single speed

Circulated Air Type:

Heated

Air Filter Type:

Replaceable preformed

Radio Interference Suppression Type:

Af, mil-std-826, radio suppression

Width:

21.000 inches

Current Type:

Ac

Depth:

15.000 inches

Prime Mover Type:

Diesel engine

Operating Control Type:

Hand switch

Current Rating In Amps:

1.5

Heating Element Type:

Burner

Ignition Method:

Manual

Inclosure Material:

Any acceptable

Heat Delivery Rate:

100000.0 british thermal unit

Fuel Feed Method:

External pressure

Voltage In Volts:

220.0 and 440.0

Phase:

Three

Frequency In Hertz:

60.0

Fuel Type:

Butane

Height:

42.000 inches

Quantity:

1

Reference Data And Literature:

T.O. 35e7-6-9-1

Surface Treatment:

Paint

Reference Number Differentiating Characteristics:

As modified by radio noise filteror as modified by ball joints on running gear

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A01300