## NSN 4520-00-498-4175

Steam-hot Water Air Circulating Unit Heater - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/4520-00-498-4175



**Mounting Type:** Ceiling suspended **Heat Medium Type:** Hot water or steam **Maximum Pressure Limit:** 25.0 pounds per square inch gage **Heat Outlet Quantity:** 1 **Heat Delivery Direction:** Horizontal **Heat Discharge Outlet Type:** Adjustable **Heat Directing Device:** Adjustable louver Air Circulation Device: Propeller fan **Speed Adjustments:** Single speed **Maximum Air Flow Rate:** 790.0 cubic feet per minute **Circulated Air Type:** Heated Width: 25.000 inches **Current Type:** Ac Depth: 28.000 inches **Prime Mover Type:** Electric motor **Operating Control Type:** Hand switch **Current Rating In Amps:** 0.405 **Heating Element Type:** Hot water coil and steam coil **Inclosure Material:** Steel **Heat Delivery Rate:** 46000.0 british thermal unit Voltage In Volts:

230.0

## NSN 4520-00-498-4175

Steam-hot Water Air Circulating Unit Heater - Page 2 of 2



Phase:	
Single	
Frequency In Hertz:	
60.0	
Height:	
21.750 inches	
Quantity:	
1	
Surface Treatment:	
Zinc	
Specification Data:	
81349-mil-u-17293d/sh/ government specification	
Specification Or Standard:	
1 type and 13 size	
Shelf Life:	
N/a	
Unit Of Measure:	
<del></del>	
Demilitarization:	
No	
Fiig:	

A01300