

View Online at <https://aerobasegroup.com/nsn/4520-00-588-0577>

**Mounting Type:**

Hand carry

**Heat Medium Type:**

Air

**Outlet Position:**

In the same direction

**Heat Outlet Quantity:**

2

**Heat Delivery Direction:**

Vertical

**Heat Discharge Outlet Type:**

Stationary

**Heat Directing Device:**

Flexible ducts

**Air Circulation Device:**

Squirrel cage blower

**Speed Adjustments:**

Single speed

**Maximum Air Flow Rate:**

Any acceptable

**Circulated Air Type:**

Heated

**Flue Connection Location:**

Any acceptable

**Width:**

14.000 inches

**Current Type:**

Ac

**Depth:**

13.000 inches

**Prime Mover Type:**

Diesel engine

**Operating Control Type:**

Hand switch

**Current Rating In Amps:**

20.0 and 10.0

**Heating Element Type:**

Burner

**Ignition Method:**

Manual

**Inclosure Material:**

Steel

**Fuel Consumption Rate Per Hour:**

Not rated

**Heat Delivery Rate:**

230000.0 british thermal unit

**Integral Fuel Tank Capacity:**

28.0 gallons

**Fuel Feed Method:**

External pressure

**Voltage In Volts:**

220.0 and 440.0

**Phase:**

Three

**Frequency In Hertz:**

60.0

**Functional Description:**

Designed to provide adjustable heat output for heating of aircraft on the ground

**Fuel Type:**

80/87 octane gasoline and 100/130 octane gasoline and 91/96 octane gasoline and 115/145 octane gasoline

**Height:**

42.000 inches

**Quantity:**

1

**Entry Date:**

85-08-16

**Reference Data And Literature:**

Af to. 35e7-2-5-1/-3/-4

**Surface Treatment:**

Paint

**Specification Data:**

81349-mil-h-26934 government specification

**Specification Or Standard:**

Md-1 type

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A01300