NSN 4520-00-878-9393

Space Heater - Page 1 of 2

Mounting Type:

Hand carry



View Online at https://aerobasegroup.com/nsn/4520-00-878-9393

Heat Medium Type:
Air
Air Circulation Device:
Propeller fan
Speed Adjustments:
Single speed
Maximum Air Flow Rate:
115.0 cubic feet per minute
Circulated Air Type:
Heated
Radio Interference Suppression Type:
Army, mil-e-53301, radio suppression
Flue Connection Location:
On lower right rear 2.750 in. From bottom
Width:
12.000 inches
Current Type:
Dc
Depth:
13.000 inches
Prime Mover Type:
Electric motor
Operating Control Type:
Thermostatic
Current Rating In Amps:
12.0
Heating Element Type:
Combustion chamber
Ignition Method:
Electrode
Inclosure Material:
Steel
Fuel Consumption Rate Per Hour:
0.3 gallons
Heat Delivery Rate:
15000.0 british thermal unit
Fuel Feed Method:
Internal pump
Voltage In Volts:
24.0

NSN 4520-00-878-9393

Space Heater - Page 2 of 2

Fiig: A01300

Mil-t-704 spec.

Mil-std (military Standard):



Fuel Type:
Df-a arctic diesel fuel oil and df-1 winter diesel fuel oil and df-2 regular diesel fuel oil and 80/87 octane gasoline and 91/96 octane gasoline
Height:
12.000 inches
Quantity:
1
Surface Treatment:
Paint
Surface Treatment Specification:
Mil-t-704, type a military specification single treatment response
Specification Data:
81349-mil-h-52204 government specification
Specification Or Standard:
3 type
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No