## NSN 4520-01-050-7146

Electric Space Heater - Page 1 of 2

Ceiling suspended or wall suspended, room interior

**Mounting Type:** 

**Heat Medium Type:** 



View Online at https://aerobasegroup.com/nsn/4520-01-050-7146

Air
Heat Outlet Quantity:
1
<b>Heat Delivery Direction:</b>
Horizontal
Heat Discharge Outlet Type:
Adjustable
<b>Heat Directing Device:</b>
Adjustable louver
Air Circulation Device:
Propeller fan
Speed Adjustments:
Single speed
Maximum Air Flow Rate:
420.0 cubic feet per minute
Circulated Air Type:
Heated
Width:
13.093 inches
Current Type:
Ac
Ac Depth:
Depth:
Depth: 11.312 inches
Depth: 11.312 inches Prime Mover Type:
Depth: 11.312 inches Prime Mover Type: Electric motor
Depth: 11.312 inches Prime Mover Type: Electric motor Operating Control Type:
Depth: 11.312 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic
Depth: 11.312 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps:
Depth: 11.312 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps: 21.0
Depth: 11.312 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps: 21.0 Heating Element Type:
Depth: 11.312 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps: 21.0 Heating Element Type: Electric nonimmersion
Depth: 11.312 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps: 21.0 Heating Element Type: Electric nonimmersion Inclosure Material:
Depth:  11.312 inches  Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps: 21.0 Heating Element Type: Electric nonimmersion Inclosure Material: Steel
Depth:  11.312 inches  Prime Mover Type: Electric motor  Operating Control Type: Thermostatic  Current Rating In Amps: 21.0  Heating Element Type: Electric nonimmersion Inclosure Material: Steel Heat Delivery Rate:
Depth:  11.312 inches  Prime Mover Type: Electric motor  Operating Control Type: Thermostatic  Current Rating In Amps: 21.0  Heating Element Type: Electric nonimmersion Inclosure Material: Steel Heat Delivery Rate: 17076.0 british thermal unit
Depth:  11.312 inches  Prime Mover Type: Electric motor  Operating Control Type: Thermostatic  Current Rating In Amps: 21.0  Heating Element Type: Electric nonimmersion Inclosure Material: Steel Heat Delivery Rate: 17076.0 british thermal unit Voltage In Volts:
Depth:  11.312 inches  Prime Mover Type: Electric motor  Operating Control Type: Thermostatic  Current Rating In Amps: 21.0  Heating Element Type: Electric nonimmersion Inclosure Material: Steel  Heat Delivery Rate: 17076.0 british thermal unit  Voltage In Volts: 240.0

## NSN 4520-01-050-7146

Electric Space Heater - Page 2 of 2



Frequency In Hertz:
60.0
Height:
16.000 inches
Quantity:
1
Surface Treatment:
Enamel
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A01300