NSN 4520-01-091-4570

Nonimmersion Type Electrical Heating Element - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4520-01-091-4570

| Mounting Method Style: |
|---|
| Flange type mounting facility |
| Body Style: |
| Finned, tubular, u shaped |
| Terminal Quantity: |
| 2 |
| Hole Diameter: |
| 0.312 inches |
| Overall Length: |
| 27.500 inches |
| Effective Heating Length: |
| 25.000 inches |
| Element Radiation Specificationtrum: |
| Noninfrared |
| Element Connection Style: |
| Stud type |
| Terminal Length: |
| 2.500 inches |
| Mounting Facility Length: |
| 3.930 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.306 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 1.306 inches |
| Mounting Facility Width: |
| 1.930 inches |
| Hole Or Slot Quantity: |
| 4 |
| Flange Thickness: |
| 0.020 inches |
| Heat Quantity: |
| 1 |
| Length: |
| 25.000 inches |
| Maximum Wattage Rating In Watts: |
| 2400.0 single voltage |
| Element Quantity: |
| 1 |
| Thread Size: |
| 0.250 inches stud |
| Thread Quantity: |

28.0 per inch stud

NSN 4520-01-091-4570

Nonimmersion Type Electrical Heating Element - Page 2 of 2



| Voltage In Volts And Current Type: |
|------------------------------------|
| 440.0 ac single voltage |
| Phase: |
| Single single voltage |
| Frequency In Hertz: |
| 60.0 |
| Material: |
| Steel comp 304 sheath |
| Thread Series Designator: |
| Unf stud |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |

A01900