

View Online at <https://aerobasegroup.com/nsn/4520-01-158-9263>

**Mounting Method Style:**

Flange type mounting facility

**Body Style:**

Finned, tubular, u shaped

**Terminal Quantity:**

2

**Hole Diameter:**

0.203 inches

**Overall Length:**

12.125 inches

**Element Radiation Specification:**

Noninfrared

**Element Connection Style:**

Hermetically sealed stud

**Mounting Facility Length:**

3.594 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.500 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.000 inches

**Mounting Facility Width:**

4.000 inches

**Hole Or Slot Quantity:**

8

**Flange Thickness:**

0.125 inches

**Heat Quantity:**

1

**Watt Density Rating:**

24.2 per square inch single voltage

**Length:**

9.625 inches

**Maximum Wattage Rating In Watts:**

1140.0 single voltage

**Element Quantity:**

1

**Thread Size:**

0.250 inches stud

**Thread Quantity:**

28.0 per inch stud

**Voltage In Volts And Current Type:**

440.0 ac single voltage

**Phase:**

Single single voltage

**Special Features:**

0.375-18 in. Tapped hole through mtg flange equidistant from studs

**Frequency In Hertz:**

60.0

**Material:**

Copper alloy sheath and nickel alloy sheath

**Material Specification:**

Mil-h-22577 federal specification single material response sheath

**Thread Series Designator:**

Unf stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A01900

**Mil-std (military Standard):**

Mil-h-22577 spec.