

View Online at <https://aerobasegroup.com/nsn/4520-01-166-8222>

Mounting Type:

Floor surface, free standing, ducted

Heat Medium Type:

Air

Heat Outlet Quantity:

1

Heat Delivery Direction:

Horizontal and vertical

Heat Discharge Outlet Type:

Stationary

Heat Directing Device:

Flexible ducts

Air Circulation Device:

Squirrel cage blower

Speed Adjustments:

Single speed

Maximum Air Flow Rate:

3210.0 cubic feet per minute

Circulated Air Type:

Heated

Air Filter Type:

Replaceable preformed

Width:

30.125 inches

Current Type:

Ac

Depth:

55.125 inches

Prime Mover Type:

Electric motor

Operating Control Type:

Thermostatic

Current Rating In Amps:

Any acceptable

Heating Element Type:

Burner

Ignition Method:

Electrode

Inclosure Material:

Steel

Fuel Consumption Rate Per Hour:

2.7 gallons

Heat Delivery Rate:

300000.0 british thermal unit

Fuel Feed Method:

Any acceptable

Voltage In Volts:

110.0

Phase:

Single

Frequency In Hertz:

60.0

Fuel Type:

Fs no. 2 burner fuel oil

Height:

65.187 inches

Quantity:

2

Surface Treatment:

Zinc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A01300