## NSN 4520-01-278-9864

Electric Space Heater - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4520-01-278-9864

Mounting Type:
Ceiling suspended
Heat Medium Type:
Air
Heat Outlet Quantity:
1
Heat Delivery Direction:
Horizontal
Heat Discharge Outlet Type:
Adjustable
Heat Directing Device:
Adjustable louver
Air Circulation Device:
Propeller fan
Speed Adjustments:
Single speed
Circulated Air Type:
Heated
Width:
13.500 inches
Current Type:
Ac
Ac Depth:
Depth:
Depth: 9.000 inches
Depth: 9.000 inches Prime Mover Type:
Depth: 9.000 inches Prime Mover Type: Electric motor
Depth: 9.000 inches Prime Mover Type: Electric motor Operating Control Type:
Depth: 9.000 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic
Depth: 9.000 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps:
Depth: 9.000 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps: 13.6
Depth: 9.000 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps: 13.6 Heating Element Type:
Depth: 9.000 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps: 13.6 Heating Element Type: Electric nonimmersion
Depth: 9.000 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps: 13.6 Heating Element Type: Electric nonimmersion Heat Delivery Rate:
Depth:  9.000 inches  Prime Mover Type: Electric motor  Operating Control Type: Thermostatic  Current Rating In Amps: 13.6  Heating Element Type: Electric nonimmersion  Heat Delivery Rate: 20472.0 british thermal unit
Depth: 9.000 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps: 13.6 Heating Element Type: Electric nonimmersion Heat Delivery Rate: 20472.0 british thermal unit Voltage In Volts:
Depth: 9.000 inches Prime Mover Type: Electric motor Operating Control Type: Thermostatic Current Rating In Amps: 13.6 Heating Element Type: Electric nonimmersion Heat Delivery Rate: 20472.0 british thermal unit Voltage In Volts: 440.0
Depth:  9.000 inches  Prime Mover Type: Electric motor  Operating Control Type: Thermostatic  Current Rating In Amps: 13.6  Heating Element Type: Electric nonimmersion  Heat Delivery Rate: 20472.0 british thermal unit  Voltage In Volts: 440.0  Phase:
Depth:  9.000 inches  Prime Mover Type: Electric motor  Operating Control Type: Thermostatic  Current Rating In Amps: 13.6  Heating Element Type: Electric nonimmersion  Heat Delivery Rate: 20472.0 british thermal unit  Voltage In Volts: 440.0  Phase: Three
Depth:  9.000 inches  Prime Mover Type: Electric motor  Operating Control Type: Thermostatic  Current Rating In Amps: 13.6  Heating Element Type: Electric nonimmersion  Heat Delivery Rate: 20472.0 british thermal unit  Voltage In Volts: 440.0  Phase: Three Frequency In Hertz:

## NSN 4520-01-278-9864

Electric Space Heater - Page 2 of 2



u	u	а	 ш	it۱	

1

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A01300