

View Online at <https://aerobasegroup.com/nsn/4710-00-073-2184>

**Wall Thickness:**

0.035 inches

**Thread Class:**

3b second end

**Thread Direction:**

Right-hand second end

**Mating End Quantity:**

1 second end

**Tubing Material:**

Aluminum alloy, mil-t-7081, comp 6061, temper t6

**End Connection Style:**

Swivel nut with loose or integral clinch sleeve second end

**Seat Angle In Deg:**

33.0 first end

**Design Form:**

Prebent

**Tube Outside Diameter:**

0.250 inches

**End Connection Specification/std:**

Mil, an818, part no. An818-4d, mil, ms20819, part no. Ms20819-4d, andmil, 21921, part no. Ms21921-4d, mil, ms21922, part no. Ms21922-4

**Thread Size:**

0.438 inches single end

**Material:**

Aluminum alloy, qq-a-225/4, temper t6 and aluminum alloy, qq-a-225/6 temper t6 or t851, aluminumalloy, qq-a-225/6, temper t6 or t851, and steel, qq-s-637 single end

**Material:**

Aluminum alloy, qq-a-225/4, temper t6 and aluminum alloy, qq-a-225/6 temper t6 or t851, aluminumalloy, qq-a-225/6, temper t6 or t851, and steel, qq-s-637 single end

**Thread Series Designator:**

Unf single end

**Fsc Application Data:**

Fuselage sect., acft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T383-d