## NSN 4710-00-277-9896

Metallic Tube - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4710-00-277-9896

Plain round  Wall Thickness: 0.049 inches  First End Style: Plain  Diameter: 1.250 inches  Second End Relationship With First End: Identical  Construction: Seamless  Measuring Method And Length: 60.000 inches random and 240.000 inches random  Heat Treatment: Normalized and stress relieved  Material: Steel comp 4130  Specification Data: 81343-ams-6360 professional/industrial association specification  Specification Or Standard: 4130 composition  Shelf Life: N/a  Unit Of Measure:  Demilitarization:
0.049 inches  First End Style: Plain  Diameter: 1.250 inches  Second End Relationship With First End: Identical  Construction: Seamless  Measuring Method And Length: 60.000 inches random and 240.000 inches random  Heat Treatment: Normalized and stress relieved  Material: Steel comp 4130  Specification Data: 81343-ams-6360 professional/industrial association specification  Specification Or Standard: 4130 composition  Shelf Life: N/a  Unit Of Measure:
First End Style:  Plain  Diameter:  1.250 inches  Second End Relationship With First End: Identical  Construction:  Seamless  Measuring Method And Length:  60.000 inches random and 240.000 inches random  Heat Treatment:  Normalized and stress relieved  Material:  Steel comp 4130  Specification Data:  81343-ams-6360 professional/industrial association specification  Specification Or Standard:  4130 composition  Shelf Life:  N/a  Unit Of Measure:
Plain  Diameter:  1.250 inches  Second End Relationship With First End: Identical  Construction: Seamless  Measuring Method And Length: 60.000 inches random and 240.000 inches random Heat Treatment: Normalized and stress relieved  Material: Steel comp 4130  Specification Data: 81343-ams-6360 professional/industrial association specification  Specification Or Standard: 4130 composition  Shelf Life: N/a  Unit Of Measure:
Diameter:  1.250 inches  Second End Relationship With First End: Identical  Construction: Seamless  Measuring Method And Length: 60.000 inches random and 240.000 inches random Heat Treatment: Normalized and stress relieved  Material: Steel comp 4130  Specification Data: 81343-ams-6360 professional/industrial association specification  Specification Or Standard: 4130 composition  Shelf Life: N/a  Unit Of Measure:
1.250 inches  Second End Relationship With First End: Identical  Construction: Seamless  Measuring Method And Length: 60.000 inches random and 240.000 inches random Heat Treatment: Normalized and stress relieved  Material: Steel comp 4130 Specification Data: 81343-ams-6360 professional/industrial association specification Specification Or Standard: 4130 composition  Shelf Life: N/a Unit Of Measure:
Second End Relationship With First End: Identical Construction: Seamless Measuring Method And Length: 60.000 inches random and 240.000 inches random Heat Treatment: Normalized and stress relieved Material: Steel comp 4130 Specification Data: 81343-ams-6360 professional/industrial association specification Specification Or Standard: 4130 composition Shelf Life: N/a Unit Of Measure:
Identical  Construction: Seamless  Measuring Method And Length: 60.000 inches random and 240.000 inches random Heat Treatment: Normalized and stress relieved  Material: Steel comp 4130 Specification Data: 81343-ams-6360 professional/industrial association specification Specification Or Standard: 4130 composition Shelf Life: N/a Unit Of Measure:
Construction: Seamless Measuring Method And Length: 60.000 inches random and 240.000 inches random Heat Treatment: Normalized and stress relieved Material: Steel comp 4130 Specification Data: 81343-ams-6360 professional/industrial association specification Specification Or Standard: 4130 composition Shelf Life: N/a Unit Of Measure:
Seamless  Measuring Method And Length: 60.000 inches random and 240.000 inches random  Heat Treatment: Normalized and stress relieved  Material: Steel comp 4130  Specification Data: 81343-ams-6360 professional/industrial association specification  Specification Or Standard: 4130 composition  Shelf Life: N/a  Unit Of Measure:
Measuring Method And Length:  60.000 inches random and 240.000 inches random  Heat Treatment:  Normalized and stress relieved  Material:  Steel comp 4130  Specification Data:  81343-ams-6360 professional/industrial association specification  Specification Or Standard:  4130 composition  Shelf Life:  N/a  Unit Of Measure:
60.000 inches random and 240.000 inches random  Heat Treatment:  Normalized and stress relieved  Material:  Steel comp 4130  Specification Data:  81343-ams-6360 professional/industrial association specification  Specification Or Standard:  4130 composition  Shelf Life:  N/a  Unit Of Measure:
Heat Treatment: Normalized and stress relieved  Material: Steel comp 4130  Specification Data: 81343-ams-6360 professional/industrial association specification Specification Or Standard: 4130 composition  Shelf Life: N/a  Unit Of Measure:
Normalized and stress relieved  Material: Steel comp 4130  Specification Data: 81343-ams-6360 professional/industrial association specification  Specification Or Standard: 4130 composition  Shelf Life: N/a  Unit Of Measure:
Material: Steel comp 4130 Specification Data: 81343-ams-6360 professional/industrial association specification Specification Or Standard: 4130 composition Shelf Life: N/a Unit Of Measure:
Steel comp 4130  Specification Data: 81343-ams-6360 professional/industrial association specification  Specification Or Standard: 4130 composition  Shelf Life: N/a  Unit Of Measure:
Specification Data: 81343-ams-6360 professional/industrial association specification Specification Or Standard: 4130 composition Shelf Life: N/a Unit Of Measure:
81343-ams-6360 professional/industrial association specification  Specification Or Standard: 4130 composition  Shelf Life: N/a  Unit Of Measure:
Specification Or Standard: 4130 composition Shelf Life: N/a Unit Of Measure:
4130 composition  Shelf Life: N/a  Unit Of Measure:
Shelf Life: N/a Unit Of Measure:
N/a Unit Of Measure:
Unit Of Measure:
Demilitarization:
Definition ization.
No
Fiig:
A004a0
Mil-std (military Standard):
Mil-t-6736 spec.