## NSN 4720-00-001-6348

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-001-6348

Cross Sectional Shape:					
Round					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
1.000 inches					
Tempurature Rating:					
-65.0 degrees fahrenheit and 250.0 degrees fahrenheit single response					
Outside Diameter:					
1.562 inches					
Connection Style:					
Plain 2nd end					
End Flange Construction:					
Solid 2nd end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded external pipe 1st end					
Thready Qty Per Inch (tpi):					
11-1/2 1st end					
Burst Test Pressure:					
8000.0 pounds per square inch					
Layer Composition And Location:					
2nd layer braided steel wire and outer layer molded rubber, synthetic and 1st layer braided steel wire					
Maximum Operating Pressure:					
2000.0 pounds per square inch					
Thread Size:					
1.000 inches 1st end					
Hydrostatic Test Pressure:					
4000.0 pounds per square inch					
Flow Angle:					
90.0 degrees 2nd end					
Outer Covering Environmental Protection:					
Mildew resistant and oil resistant and oil resistant					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
63.250 inches random					
Media For Which Designed:					
Fuel/oil, hydrocarbon single response					
Thread Series Designator:					
Npt 1st end					

## NSN 4720-00-001-6348

Nonmetallic Hose Assembly - Page 2 of 2



_				
c	hο	JIF.		ife:
J	116		_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0