NSN 4720-00-003-0057

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-003-0057

Cross Sectional Shape:						
Round						
Thread Class:						
3b 1st end						
Thread Direction:						
Right-hand 1st end						
Inside Diameter:						
0.125 inches						
Tempurature Rating:						
-40.0 degrees fahrenheit and 225.0 degrees fahrenheit single response						
Outside Diameter:						
0.281 inches						
Minimum Inside Bending Radius:						
1.500 inches						
Connection Style:						
Swivel nut flare 1st end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded internal tube 1st end						
Features Provided:						
Electrostatic discharge capability and perforated outer cover						
Burst Test Pressure:						
10000.0 pounds per square inch						
Layer Composition And Location:						
Outer layer woven polyamide cord and 1st layer braided synthetic cord						
Maximum Operating Pressure:						
2500.0 pounds per square inch						
Thread Size:						
0.375 inches 1st end						
Seat Angle:						
37.0 degrees 1st end						
Outer Covering Environmental Protection:						
Abrasion resistant and cold resistant						
Inside Surface Condition:						
Smooth						
Measuring Method And Length:						
64.250 inches working						
Thread Series Designator:						
Unf 1st end						
Shelf Life:						
N/a						

N/a

NSN 4720-00-003-0057

Nonmetallic Hose Assembly - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A542a0